



STOCK LIST

ANTONOPOULOS USED PRINTING MACHINERY



| Photo | Ref.No. | Brand | Type | Year | Details |
|--|-----------|----------------|---------------|------|---|
| 1 COLOUR / LETTERPRESS | | | | | |
| | | ADAST | DOMINANT 515 | | Size 36x52 cm, 1 color, Water dampening, Quick action plate clamp, Powder sprayer, First hand machine. |
| | | HEIDELBERG | KORD 62 | | Serial Nr. 315922, size : 46x62 cm |
| | | HEIDELBERG | GTO PM 52-1 | 2003 | Serial nr. 720561, dds dampening. |
| | Ref. 1904 | HEIDELBERG | SORD | | Size 64x91.5 cm, Quick action plate clamp, Water dampening, Oxydry weko. |
| | Ref. 1916 | HEIDELBERG | MO | 1982 | Water dampening. |
| | | HEIDELBERG | GTO 52-1 | | Serial Nr. 710219 |
| | | HEIDELBERG | KS | | Serial nr. 3256 |
| | | HEIDELBERG | GTO 52-1 | | Serial Nr. 702091 |
| | | HEIDELBERG | GTO 46-1 | | Serial Nr. 669253 |
| | Ref. 1933 | HEIDELBERG | 46x57 cm | | |
| | | HEIDELBERG | KS | | Serial nr. 304980 |
| | | HEIDELBERG | KORD 62 | | 38x52 cm. |
| | | ROLAND | RFOB | | |
| | | HEIDELBERG | SBB | | 56x82 cm. |
| | | HEIDELBERG | SBB-Z | | |
| | | HEIDELBERG | GTO 52-1 | | water dampening, No- 699181. |
| | | ROLAND | PRAKTIKA | | 1 color, 35x50 cm, serie 151, serial nr. 9343. |
| | | ROLAND | PRAKTIKA | | 1 color, 35x50 cm, serie 174, serial nr. 8691. |
| | | RYOBI | 480 NA | | |
| 2 COLOURS / LETTERPRESS | | | | | |
| | | AB DICK | 985 CF | | 2 colors, continuous form printing. |
| | | ADAST | 526 AP | 2002 | size 38x52 cm, 2 colors, water dampening, powder spray. |
| | | ADAST | 526 AP | 1999 | size 38x52 cm, 2 colors, water dampening, powder spray. |
| | | HEIDELBERG | SM 52-2 | 2000 | serial nr. 204089 |
| | | HEIDELBERG | GTO 52-2 | | serial nr. 713963 |
| | Ref. 1888 | HEIDELBERG | GTO PM 52-2 | | |
| | Ref. 1933 | ROLAND | 202 TOB | | Serie 259. |
| | | HEIDELBERG | GTO52 Z S | 1995 | 2 colors, Straight, Plus version, Size 36x52 cm, Alcolor, Cptronic, Quick action plate clamps, Baldwin, Chromed impression cylinders, Oxydry weko. |
| | Ref. 1884 | HEIDELBERG | GTOZ52 S | | 2 colors, size : 36x52 cm, alcolor dampening, cooling device, Electronic double sheet control, oxydry weko, quick action plate clamps, 709756. |
| | | HEIDELBERG | QM 46-2 | | |
| | | HEIDELBERG | GTOZP 52 | 1992 | Serial nr. 707684, 36x52 cm, 2 colors, Perfecting 1/1 or 2/0, cpc 1.02, alcolor Dampening, baldwin cooling device, double sheet detector , plus version, quick action plate clamps, weko powder Spray, inking and register control from the console. |
| | | HEIDELBERG | GTOZ 52 | | Serial Nr. 689133 |
| | | ROLAND | RZK3B E | 1992 | 72X102 cm, 2/0 or 1/1, Quick action plate clamps, Alcohol with cooling device, Air suction feeder, Chromed impression cylinder. |
| | Ref. 1552 | ROLAND | RZKIIB | 1969 | Grey model. |
| | | ROLAND | 202 TOB | | Serie 252, Size : 52x74 cm, 2 Colors, Air suction feeder, Quick action plate clamps, Chromed impression cylinder, WEKO T6 - powder spray, 4 delivery gripper bars. |
| | Ref. 1674 | ROLAND | PRAKTIKA PRZ | | 2/0-1/1 E, Serie: 190, Max. Size: 360 x 520. Serial 14007, Rolandmatic Dampening, Air suction feeder, Chromed impression cylinders, Powder spray, 45 Million Impressions. |
| | | ROLAND | RZK3B 1/1 E | | 72X102 cm, 2/0 or 1/1, Quick action plate clamps, Alcohol with cooling device, Chromed impression cylinder. |
| | | ROLAND | 202 TOB | | Serie 253, serial nr. 21777 |
| | Ref. 1910 | RYOBI | 522 HE | 2007 | Max paper size 37x52 cms. Straight machine, Paper thickness from 0,04-0,5 mms., Speed max 11.000 Sh/hour, Ryobimatic dampening system with refrigeration system, SAPC - Automatic plate change, Automatic washing devices for inking. |
| 4 COLOURS | | | | | |
| | Ref. 1921 | ROLAND | 304 | 1996 | 4/0, 2/2, Size 52x74 cm, RCI 2, PPL, Register from the console, Air suction feeder, Automatic washers, Powder sprayer, Rolandmatic. |
| | Ref. 1935 | ROLAND | RVK3B-E | | 2/0, 1/1, rolandmatic dampening. |
| | Ref. 1928 | RYOBI | 3304 H | | |
| | Ref. 1930 | ROLAND | 704 3B | 2001 | |
| | Ref. 1932 | ROLAND | 604 3B | | Serie 654, 4 colors, Straight, Size 72x102 cm, RCI 2, Rolandmatic, Register from the console, Ink temperature control, Technotrans, Quick action plate clamps, Chromed impression cylinders, Powder sprayer. |
| | Ref. 1920 | KOMORI | L440 | 1998 | Size 72x102 cm, 4 colors, Straight, Semi automatic plate change, Komorimatic, Automatic washers, Register from the console, IVT lamps, Powder sprayer, 235 mio impressions. |
| | | ROLAND | RVK3 | 1961 | Water dampening, Straight, Serie 610, Year 1961, Size : 65x96.5 cm. |
| | Ref. 1768 | MILLER | TP 94 | | 4 colors, Size 65x95 cm, Alcohol dampening, Baldwin, Quick action plate clamps, Before 1 year rollers have been changed, Ink temperature control. |
| | Ref. 1922 | ROLAND | 204+L HOB | | Size 54x72 cm, 4 colors, Quick action plate clamps, Automatic washers, Rolandmatic, RCI 2, IR lamps, Oxydry weko, Baldwin. |
| | Ref. 1917 | ROLAND | 604 | | 4 COLOURS, STRAIGHT, RCI 2, ROLANDMATIC DAMPENING, QUICK ACTION PLATE CLAMPS, AIR SUCTION FEEDER, REGISTER FROM THE CONSOLE. |
| 5 COLOURS | | | | | |
| | | ROLAND | 705 LV | 2002 | WELL MAINTAINED, WITHOUT DAMAGE, IN PRODUCTION, LOCATION: ATHENS, GREECE MACHINE DETAILS, 5 INK UNITS, 1 VARNISH UNIT, RCI SYSTEM, AYTMATIC BLANKET WASHING DEVICE, IR THERMO-AIR DRYING SYSTEM, ADDED FEKET UV DRYING SYSTEM AT DELIVERY, AYTMATIC CENTRAL LUBRICATION SYSTEM, PECOM PRESS CENTER. |
| 6 COLOURS | | | | | |
| | Ref. 1926 | KOMORI | L-640 | | |
| SADDLESTITCHING / WIRE STITCHING MACHINES | | | | | |
| | | AGRAFIX | | | wire stitching machine. |
| | | AGRAFIX | | | wire stitching machine. |
| | | BREHMER | 703/1T | | wire stitching machine. |
| | | FRANKESCH | | | wire stitching machine. |
| | | HOHNER | ECONOMY 25/40 | | wire stitching machine. |
| | Ref. 1871 | MULLER MARTINI | 335 | | Type 306, 4 x feeders, Sttching unit, 2 sttching heads, Three Knife Trimmer, type 890. |
| | | MULLER MARTINI | 235 | | 7 gathering stations, Cover, 2 sttching heads, Three knife trimmer, Stacker. |
| | | MULLER MARTINI | LINE | | 6 gathering stations, 2 sttching heads, Three knife trimmer. |
| | Ref. 1871 | MULLER MARTINI | RB 5 | | |
| | | POLYGRAPH | 103 | | wire sttching machine. |
| PAPER CUTTING MACHINES | | | | | |
| | | ADAST | MP-80 | | |
| | | ADAST | MS 80 | | |
| | | ADAST | MM80-3 | | |
| | | ADAST | MH 80-3 | | |
| | Ref. 1910 | ADAST | MS 80 TSE | | |
| | Ref. 1924 | POLAR | 115 EM MON | 1985 | |

| | | | | | |
|-----------------------------|--|------------------|-----------------------|-------|---|
| | | HUANDA | HD-QZ450 | | 45 CM |
| | | IDEAL | 48/3 | | maximum cutting width 48 cm, manual clamp / back gauge. |
| | | PERFECTA | ACM 83 S | | |
| Ref. 1915 | | POLAR | 115 ED | 2000 | |
| | | POLAR | 115 ED AT | 1997 | Serial Nr. 6732050 |
| | | POLAR | 115 EM-MON | 1990 | |
| | | POLAR | 76 EM | 1993 | Serial Nr. 6361472 |
| | | SCHNEIDER | SENATOR | 1998 | E-LINE, 76 CM. |
| DIE CUTTING MACHINES | | | | | |
| | | AOER | ML-1400 | | 100x140cm, automatic lubrication, speed control. |
| | | BOBST | SP 102 CER | 1985 | |
| Ref. 1936 | | CROSSPLAN | | | Size : 74x104 cm, automatic lubrication, speed control. |
| | | BOBST | SP 102 CER | 1989 | |
| Ref. 1936 | | HEIDELBERG | S | | size : 54x72 cm. |
| Ref. 1923 | | HEIDELBERG | VARIMATRIX | 2008 | Die cutting machine with stripping station, Max sheet size: 1050x750mm, Min sheet size: 400x350 mm, 26 mio impressions, Speed: 7.500 sheets/hour, Thickness: paper min: 80g/m2, Carton board max: 1.400 gr, Cutting pressure up to 300 tons, Operator interface with color touch screen, Feeder with suction belt feed table, Quick lock die-cut frame, Centerline, Pneumatic lock for die cutting, chases, Stripping section with frame, Non-stop on feeder and delivery, Pre-piling device. |
| | | BRAUSSE | BORA 1050 E | | |
| | | HEIDELBERG | SBB 56x82 cm | | Serial Nr. 29741. |
| Ref. 1871 | | JOHANNISBERG | HOT FOIL CAVOMIT | | |
| | | RABOLINI | IMPERIA | | size : 64x90 cm. |
| | | CROSSPLAN | | | size : 74x104 cm. |
| FOLDERS | | | | | |
| | | HEFTER | SYSTEMFORM | | TF Master A |
| | | HEIDELBERG STAHL | T34A-2-P-4 | | |
| | | CFM | 345 E | | |
| Ref. 1933 | | HORIZON | VP-66 | | |
| | | HORIZON | EF-35 | | |
| | | MBO | K79/4KZ | | |
| | | GUK | K72/4 KTL-F4 | | 1st group: 4 buckles, 2 electric knives. |
| | | MBO | K 72/4KZ | | 1st group: 4 buckles, 2 electronic knives for 16 pages, New rollers, serial nr. 42870205. |
| | | MBO | T530-2-53/4 | 2003 | 1st group: 4 buckles, 2nd group: 4 buckles, Double electronic knife for 16 and 32 pages. |
| | | MBO | K76/8 SKTL | 2003 | 1st group: 8 buckles, 2 electronic knives for 16 pages. |
| | | MBO | T52/6 | | |
| | | MBO | K 65/4KL | | 1st group: 4 buckles, 2 electronic knives for 16 pages. |
| Ref. 1900 | | POLYGRAPH | 271/2 | | folder, 32 pages. |
| | | POLYGRAPH | 5071 | | 1st group: 2 buckles, 2nd group: 2 buckles, 3rd group: 2 buckles, 4th group: electric knife for 32 pages. |
| | | STAHL | Folder | | 32 pages, pile feeder. |
| VARIOUS | | | | | |
| | | BOURG | BST10-D | | Collator. |
| Ref. 1915 | | BOURG | BST 10/BST-10-D | | |
| Ref. 1915 | | BRUDERER | BSTA 30 | | Fully automatic punching press Machine, High speed press, Number of strokes 600 spm, Feed BBV 120/60, Pressing force 30 T, Maximum strip width 190 mm. |
| | | CF 52 | | | Pack collator. |
| Ref. 1915 | | DURMA | MS 1303 | | Mechanical shear. |
| Ref. 1925 | | ANTER | | 800 | folder gluer, lock bottom. |
| | | ELCOS | | | drilling, two heads. |
| | | EXCEL | 805 LM | | Perfect binder. |
| | | GMP | Cyklus | | Thermal Roll Laminator. |
| Ref. 1929 | | HORIZON | FC10IH+SPF10IH+MAC 80 | | |
| Ref. 1871 | | HEIDELBERG | SUPRASETTER | | CTP THERMAL. |
| | | HEIDELBERG | TIEGEL | | Serial Nr. 152799 |
| | | HEIDELBERG | TIEGEL | | Serial Nr. 146785 |
| | | HEIDELBERG | TIEGEL | | Serial Nr. 118849 |
| | | HEIDELBERG | TIEGEL | | Serial Nr. 149852 |
| | | HEIDELBERG | TIEGEL | | Serial Nr. 113273 |
| | | HEIDELBERG | TIEGEL | | Serial Nr. 110793 |
| | | HEIDELBERG | TIEGEL | | Serial Nr. 110320 |
| | | HEIDELBERG | TIEGEL | | Serial Nr. 111921 |
| | | HEIDELBERG | TIEGEL | | Serial Nr. 180015 |
| | | HEIDELBERG | TIEGEL | | Serial Nr. 180013 |
| | | HEIDELBERG | TIEGEL | | Serial Nr. 180133 |
| | | HEIDELBERG | TIEGEL | | Serial Nr. 191239 |
| Ref. 1934 | | MULLER MARTINI | PRESTO | | Type 1522, Three knife trimmer, Type 1550, Saddle stitcher, Type 1551, 3 x double feeders. |
| | | HEIDELBERG | TIEGEL | | Serial Nr. 138093 |
| | | HEIDELBERG | TIEGEL | | Serial.Nr. 105479. |
| | | HEIDELBERG | TIEGEL | | Serial Nr. 139897 |
| | | HORIZON | QC-S100 | | |
| | | HORIZON | SPF-7 | | booklet maker. |
| | | HORIZON | BQ 270 | | Perfect Binder. |
| | | HORIZON | MC80a | | |
| Ref. 1915 | | IMAR | MAXIPACK MCRP-304-5 | | |
| | | MB Bäuerle | Multipli 464 | | |
| Ref. 1912 | | MIYAKOSHI | | 1998 | 8 colors, UV & Conventional Inks, 5 UV lamps, Maximum Roll Width (520mm), Cut Off, 24" (609.6mm), 25" (635mm), Speed 150 - 250 m/min, Printing Roll to roll, Takeout roll (folder), Roll to sheet (sheeter), EXTRA EQUIPMENT, Magnetic Head, Filing Holes, Power Drivers, Perforations (Horizontal & Vertical), Incident control cameras (A' & B' view). |
| | | MORGANA | AUTOCREASER | | |
| | | MORGANA | AUTOCREASER 33 | | |
| | | MORGANA | FSN | | Air Feed Rotary Numbering |
| | | NAGEL | MULTINAK S | | two stapling heads. |
| Ref. 1915 | | PFM | HURRICANE SERVO | D4687 | Carbon steel frame, standard colour white RAL 9010. 3 sets of fin seal wheels for longitudinal sealing: the first pulls the wrapping material, the second seals the material and the third folds the flap. Forming box with adjustable height and width for different size products. Self centering reel holder with brake. 2 m long infeed conveyor with quick release and interchangeable pushers. 1000 mm long motorized discharge conveyor. All product contact parts are built in AISI 304 stainless steel. ETIPACK WHIZZY 110 BR O. |
| Ref. 1915 | | PFM | HURRICANE SERVO | D3445 | Carbon steel frame, standard colour white RAL 9010. 3 sets of fin seal wheels for longitudinal sealing: the first pulls the wrapping material, the second seals the material and the third folds the flap. Forming box with adjustable height and width for different size products. Self centering reel holder with brake. 2 m long infeed conveyor with quick release and interchangeable pushers. 1000 mm long motorized discharge conveyor. All product contact parts are built in AISI 304 stainless steel. ETIPACK WHIZZY 110 BR O. |
| | | POLAR | RAB 5 | | Jogger. |

| | | | | | |
|--|-----------|------------|------------|--|--|
| | | POLAR | TREL 145-3 | | Unloader. |
| | | POLAR | L 600-W-3 | | Paper lift. |
| | Ref. 1915 | STAHL | HOTRONIX | | Dual Air Fusion IQ Heat Press, Dual platen shuttle operation, Laser Alignment System, User-safe push-button / foot pedal operation, Auto, semi-auto, or manual mode, Touch screen control system with stylus, Heat-free work surface, Corrosion-resistant framework. |
| | Ref. 1897 | STEINEMANN | UVIMAT 86 | | Full UV varnishing machine, Max size: 1020x860 mm, Min size: 220x280 mm, Speed:10.000 s/h, MIRUS feeder, 3 UV lamps, powder removal calander with heater, varnishing unit, MIRUS delivery. |
| | Ref. 1913 | YOUBOND | 1450 E | | automatic flute laminating machine. |

11 PTOLEMEOU STR | 10442 | ATHENS | GREECE | t: +30 210 51 44158 | e: info@antonopoulos.gr | www.antonopoulos.gr